HRA ANDUNI The Gazette of India

EXTRAORDINARY

भाग II--खण्ड 3--उप-खण्ड (ii)

PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 585]

नई दिल्ली, बुधवार, मार्च 30, 2010/चैत्र 9, 1932

NEW DELHI, WEDNESDAY, MARCH 30, 2010/CHAITRA 9, 1932

पर्यावरण और वन मंत्रालय

अधिसूचना

नई दिल्ली, 30 मार्च, 2010

का.आ. 710(अ).— केन्द्रीय सरकार, पर्यावरण (संरक्षण) अधिनियम, 1986(1986 का 29) की धारा 6 धारा 8 और धारा 25 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए परिसंकटमय अपिशष्ट (प्रबंधन, हथालन और सीमापारीय संचलन) नियम, 2008 का और संशोधन करने के लिए निम्नलिखित नियम बनाती है, अर्थात:-

- 1. (1) इन नियमों का संक्षिप्त नाम परिसंकटमय अपशिट (प्रबंधन,हथालन और सीमापारीय संचलन) तीसरा संशोधन नियम, 2010 है।
 - (2) ये राजपत्र में प्रकाशन होने की तारीख को प्रवृत्त होंगे।
- 2. परिसंकटमय अपशिष्ट (प्रबंधन,हथालन और सीमापारीय संचलन) नियम, 2008 (जिसे इसमें इसके बाद उक्त नियम कहा गया है) नियम 3, के उप-नियम (1) में खंड (द) के पश्चात् निम्नलिखित खंड अंत:स्थापित किया जाएगा, अर्थात् :

"(दक) अन्य अपशिष्ट: अनुसूची III के भाग घ में विनिर्दिष्ट अपशिष्ट तब तक प्ररिसंकटमय अपशिष्ट नहीं होंगे जब तक कि उनमें नियम 12 नियम13 और नियम 14 के अनुसार ऐसे अपशिष्टों के आयात या निर्यात से संबंधित अनुसूची के भाग ग में विनिर्दिष्ट कोई परिसंकटमय लक्षण न हों "

3. उक्त नियमों के, अध्याय III में, नियम 8 के, उप नियम (7) के पश्चात् निम्नलिखित उप-नियम अंतःस्थापित किए जाएंगे, अर्थात :-

- "(8) अनुसूची III (भाग घ) में यथा सूचीबद्ध धातु स्क्रैप, कागज अपशिष्ट और अन्य अपशिष्टों के आयात का इच्छुक प्रत्येक व्यापारी किसी भी राज्य प्रदूषण नियंत्रण बोर्ड या प्रदूषण नियंत्रण समिति को प्ररूप 16 में आवेदन कर सकेगा ।
- (9) राज्य प्रदूषण नियंत्रण बोर्ड या प्रदूषण नियंत्रण समितियां व्यापारी का एकबारगी आधार पर रिजस्ट्रीकरण करेंगे और यदि 30 दिनों की अवधि के भीतर आपत्ति नहीं की जाती है तो रिजस्ट्रीकरण हुआ समझा जाएगा।
- (10) रिजस्ट्रीकृत व्यापारी रो अपेक्षा की जाएंगी कि वह ऐसे आयात का ब्यौरा और मात्रा सिहत वास्तिवक उपयोगकर्ताओं की विशिष्टियां संबंधित राज्य प्रदूषण नियंत्रण कोई या प्रदूषण नियंत्रण सिमितियों को तिमाही आधार पर प्रस्तुत करें और राज्य प्रदूषण नियंत्रण तोई या प्रदूषण नियंत्रण सिमितियों को इन विवरणों को प्रस्तुत करने में असफल होने पर रिजस्ट्रीकरण रद्द होने का दायी होगा:

परंतु ब्यापारी को प्रदत्त रजिस्ट्रीकरण उसे सुनवाई का युक्तियुक्त अवसर दिए बिना रद्द नहीं किया जाएगा ।

- (11) राज्य प्रदूषण नियंत्रण बोर्ड या प्रदूषण नियंत्रण समितियों के सदस्य -सचिव या उक्त नियमों के नियम 26 में यथा अधिकथित राज्य प्रदूषण नियंत्रण बोर्ड या प्रदूषण नियंत्रण समितियों द्वारा पदाभिहित किसी अन्य अधिकारी द्वारा रिजस्ट्रीकरण का निलम्बन करने या रद्द करने या अस्वीकार करने वाले किसी भी आदेश के विरुद्ध अपील की जाएगी।
- (12) अपील लिखित रूप में होगी और उसके साथ उस आदेश की प्रति लगानी होगी जिसके विरुद्ध अपील की गयी हो और अपील आदेश पारित होने की तारीखरे तीस दिनों की अवधि के भीतर की जाएगी।'
 4. उक्त नियमों के, नियम 16 में,-
- (क) उप नियम (5) के पंरतुक में,

- (i) "परिसंकटमय अपशिष्ट" शब्दों के स्थान पर, "धातु स्क्रैप, कागज अपशिष्ट और अन्य अपशिष्ट" शब्द ;
 - (ii) "भाग ख" शब्द और अक्षर के स्थान पर "भाग घ" शब्द और अक्षर रखे जाएंगे ; ।
- (ख) उप नियम (६क) में,
- (i) "परिसंकटमय अपशिष्ट" शब्दों के स्थान पर, "धातु स्क्रैप, कागज अपशिष्ट और अन्य अपशिष्ट" शब्द
 - (ii) "भाग ख" शब्द और अक्षर के स्थान पर, "भाग घ" शब्द और अक्षर रखे जाएंगे ; ।
- 5. उक्त नियमों में, अनुसूची III में, भाग 'ख' के अधीन विद्यमान सारणी के स्थान पर, निम्नलिखित सारणी रखी जाएगी, अर्थात्:-

"भाग ख

पूर्व सूचित सहमति की अपेक्षा न रखने वाले आयात और निर्यात के लिए लागू होने वाले परिसंकटमय अपिशष्टों की सूची ।

[बेसल कन्वेंशन का उपाबंध 9ं]

| बेसल सं0 | अपशिष्टों का वर्णन |
|----------|--|
| ख-1 | धातु और धातुयुक्त अपशिष्ट |
| ख 1010 | गैर परिक्षेपण रूप में धातु एवं धात्विक धातु-मिश्रातु अपशिष्ट |
| | - थोरियम स्क्रीप ** |
| , | - रेयर अर्थ स्क्रैप ** |
| ख 1020 | शोधित, असंदूषित धातु उच्छिष्ट जिसमें मिश्रातु भी हैं, बड़ी मात्रा में परिस्कृत रूप में |
| * | (चादर, प्लेट, दंड, छड़ आदि) : |
| | - एटिमनी स्क्रैप **** |
| | - केडमियम स्क्रेप |
| | - सीसा स्क्रैप (सीसा अम्ल वैटरियों को छोड़कर) |
| | - टेलयूरियम स्क्रीप **** |
| ख 1030 | अपशिष्ट अंतर्विष्ट करने वाली अपवर्तक धातुए **** |
| ख 1031 | धात्विक परिक्षेपण रूप (धातु चूर्ण) में मोलिबडेनम, टंगस्टन, टिटेनियम, टेंटालूम, |
| | नियोबियम एवं रहेनियम धातु और मिश्रातु अपशिष्ट, सूची क के अंतर्गत प्रविष्टि क 1050 |
| | में विनिर्दिष्ट ऐसे अपशिष्टों को छोड़कर, गाल्वनिक स्क्रैप *** |

| ख 1060 | चूर्ण सहित धात्विक तात्विक रूप में अपशिष्ट सिलिनियम और टेल्यूरियम * * * |
|--------|---|
| ख 1070 | ताम्र और ताम्र मिश्रातुओं का अपशिष्ट विक्षेपित रूप में जब तक कि उनमें अनुसूची 2 में |
| | उल्लिखित कोई संघटक उसमें विनिर्दिष्ट सांद्रण सीमाओं तक अंतर्विष्ट न हो *** |
| ख 1080 | जिंक भरम और अपशिष्ट जिसमें मिश्र अपशिष्ट विक्षेपित रूप में हो जब तक कि उनमें |
| | अनुसूची 2 में उल्लिखित कोई संघटक उसमें विनिर्दिष्ट सांद्रण सीमाओं तक अंतर्विष्ट न |
| | हो । *** |
| ख 1090 | मानक बैटरी विनिर्देश के अनुरूप अपशिष्ट बैटरीयां, सीसा,केडिमियम या पारे से बनी |
| | बैटरियों को छोड़कर । **** |
| ख 1100 | धातुओं को गलाने, प्रगलन और परिष्करण से उत्पन्न अपशिष्ट युक्त धातु |
| | - तांबा प्रसंस्करण से या और प्रसंस्करण या परिष्करण से स्लैग जिसमें आर्सेनिक, सीसा |
| | या कैडमियम अंतर्विष्ट है *** |
| | - उच्चतापसह अंतर अपशिष्ट जिसमें तांबे के प्रगलन से उत्पन्न क्रूसिबल सम्मिलित है। |
| | - टेन्टेलम बेयरिंग टिंन स्लैग 0.5%से अन्यून टिन सहित **** |
| ख 1110 | विद्युत और इलैक्ट्रानिक एसैम्बलीज |
| . | - इलैक्ट्रोनिक समंजक, जिनमें केवल धातु या मिश्रातुएं हों **** |
| | -इलैक्ट्रिकल और इलैक्ट्रोनिक पुर्ज़ों के ऐसे स्क्रैप अपशिष्ट (छपाईयुक्त सर्किट बोर्ड |
| ĺ | सिहत) जिनमें सूची क में शामिल एक्यूमुलेटर्स तथा अन्य बैटरिया, मरकरी स्विच, कैथोड |
| | रे टयूबों के कांच व अन्य क्रियाशील कांच पीसीबी कैपीसिटर्स आदि न हो या कैडिमियम, |
| | मरकरी, सीसा पॉलीक्लोरीनेटिड बाई फिनाइल जैसे अवयवों से संदूषित न हो या उन |
| - | चीजों से जिनमें इन्हें निकाला गया हो और उनमें अनुसूची 2 में लक्षण, उसमें विनिर्दिष्ट सांद्रण की सीमा तक न हों **** |
| | -वैद्युत और इलैक्ट्रोनिक समंजक (मुद्रित सर्किट बोर्ड, इलेक्ट्रानिक पुजें और तार सहित) |
| | सीधे पुन: उपभोग के लिए किन्तु पुन: चक्रण अथवा अंतिम निपटान के लिए नहीं है । |
| ख 1120 | प्रयुक्त केटलिस्ट को छोड़कर निम्नलिखित को अंतर्विष्ट करने वाले केटालिस्ट के रूप में |
| 1 | प्रयुक्त तरलों को छोड़कर : |
| | 7344444 |
| | संक्रमणं धातुएं, सूची क में सम्मिलित अपिशष्ट कैटालिस्ट को छोड़कर(प्रयुक्त कैटालिस्ट, |
| 1. | कैटालिस्ट के रूप में उपयोग किए तरल पदार्थ या अन्य कैटालिस्ट) |
| | |
| | स्कैन्डियम टिटेनियम |
| | वेनेडियम क्रोमियम |
| | मैंगनीज लौह |
| | कोबाल्ट निकिल |
| | कॉपर जिंक |
| | याद्रियम जरकोनियम |
| | नियोवियम मॉलिवडेनम |
| - | हैफनियम टैंटालम |
| | टंगस्टन रेहनियम । |
| | |

| 111-G-3 3(11) | |
|---------------|--|
| | लैनथेनड्स (दुर्लभ-भू धातुएं): |
| | लैनथैनियम सीरियम प्रासिटयोडायमियम नियोडी |
| | समेरियम यूरोपियम गेडोलिनियम टरिबयम |
| - | डाइसोप्रोसियम होलिमयम |
| | इर्बियम थूलियम |
| | येटरवियम लुटेटियम |
| ख1130 | कैटालिस्टयुक्त क्लीन्डस्पेंट ब हुमूल्य धातु |
| ख 1140 · | ठोस रूप में बहुमूल्य धातु, जिसके अंतर्विष्ट अपशिष्ट जिसके अंतर्विष्ट अनुरेख अकार्बनिक साइनाइड हो |
| ख 1150 | मूल्यवान धातु, और मिश्र धातु अपशिष्ट (सोना,चाँदी,प्लेटिनम वर्ग के) विक्षेपित रूप में |
| ख 1160 | मुद्रित सर्कट बोर्ड के भस्मीकरण बहुमूल्य धातु भस्म, (सूची क क 1150 से संबंधित प्रविष्टि नोट करें) |
| ख 1170 | फोटोग्राफिक फिल्म के भस्मीकरण से बहुमूल्य धातु भस्म |
| ख 1180 | चांदी हैलाइड और धात्विक चांदी वाली अपशिष्ट फोटोग्राफिक फिल्म |
| ख 1190 | चांदी हैलाइड और धात्विक चांदी वाला अपशिष्ट फोटोग्राफिक कागज |
| ख 1200 | आयरन और स्टील के विनिर्माण से उत्पन्न ग्रेनुलेटिड स्लेग |
| ख 1210 | आयरन और स्टील के उत्पादन से उत्पन्न स्लैग जिसमें टिटेनियम डाइ-आक्साइड और वेनेडियम के स्रोत के रूप में स्लैग शामिल है । |
| 1000 | जिंक उत्पादन से स्लैग,कैमिक़ली, स्टैब्लाइजड, जिसमें आयरन अंश अधिक है (20% से |
| 1220 | अधिक) और जिसके औद्योगिक विनिर्देशों के अनुसार मुख्यत: निर्माण के लिए प्रसंस्कृत |
| , | किया गया है । |
| ৰ্ত্ত 1240 | कापर-आक्साइड मिल स्केल*** |
| | |
| ख 2 | मुख्यत: अकार्बनिक संघटक वाले अपशिष्ट जिनमें धातु और कार्बनिक सामग्री हो |
| | सकती हैं। |
| · | |
| ख 2010 | गैर-विक्षेपित रूप में खनन संक्रियाओं से अपशिष्ट : |
| 9 2010 | - प्राकृतिक ग्रेफाइट अपशिष्ट |
| | - स्लेट अपशिष्ट |
| | - अभ्रक अपशिष्ट |
| | - ल्यूसाइट, नेफलाइन और नेफलाइन साइनाइट अपशिष्ट |
| | - फेल्डस्पार अपशिष्ट |
| | - फ्लोरस्फार अपशिष्ट |
| | -फाउंड्री संक्रियाओं में प्रयुक्त सिलिका को छोड़कर ठोस रूप में सिलिका अपशिष्ट |

| | | THE GAZETTE OF INDIA : EXTRAORDINARY [FARTH 5::0.5] |
|----|---------------|---|
| ļ | <u>ख</u> 2020 | गैर-विक्षेपित रूप में कांच अपशिष्ट : |
| | | - कांच क्युलेट और अन्य अपशिष्ट और कैथोड़ रे टयूबों अन्य और एक्टिवेटिड कांच से |
| | • | एक्टिवेटिड क्यूलेट के अलावा कांच स्क्रैप ** |
| | ख 2030 | गैर - विक्षेपित रूप में सेरामिक अपशिष्ट : |
| | | सेरामिक अपशिष्ट और स्क्रैप (धातु सेरामिक लवण) |
| ٠ | , | - सेरामिक आधारित रेशे |
| | ख 2040 | मुख्यतया अकार्बनिक घटक वाले अन्य अपशिष्ट : |
| | | - फ्लु गैस डीसलफरीजेशन से उत्पन् आंशिक परिष्कृत कैत्शियम सल्फेट (एफजीडी) |
| | | - भवन गिराने से उत्पन्न होने वाले अपशिष्ट जिप्सम वालबोर्ड अथवा प्लास्टरबोर्ड |
| | 1 | - ठोस रूप में सल्फर |
| | | - कैत्शियम सायनामाइड से उत्पादन से लाइमस्टोन(पीएच<9) |
| | | - सोडियमं ,पोटेशियम, केल्शियम क्लोराइड |
| ٠. | | - कारबोरन्डम (सिलिकॉन कारबाइड) |
| | | - खंडित कंक्रीट |
| | | - लिथियम टेन्टालम और कांच स्क्रैप अंतर्विष्ट वाला लिलियम-नियोबियम |
| | ख 2060 | पेयजल की अभिक्रिया और खाद्य उद्योग की प्रक्रियाओं और विटामिन उत्पादन के कारण |
| | * | होने वाले स्पैन्ट एक्टिवेटिड कार्बन (सूची क क 4160 पर सम्बद्ध प्रविष्टि नोट करें) |
| | ख 2070 | केल्शियम फ्लोराइड स्लज |
| ٠ | ख 2080 | रसायन उद्योग प्रक्रियाओं से उत्पन्न होने वाले अपशिष्ट जिप्सम जब तक इसमे अनुसूची 2 में |
| | | उल्लिखित कोई भी संघटक उसमें विनिर्दिष्ट साद्रण सीमा तक न हो । |
| | ख 2090 | पैट्रोलियम कोक अथवा बिदुमन से बने स्टील अथवा एल्युमीनियम उत्पादन से उत्पन |
| | | अपिशष्ट एनोड बद्स, जोकि सामान्य औद्योगिक विनिर्देशों के अनुसार साफ किए गए है |
| | | (क्लोर एत्कली इलैक्ट्रोलोसिस में एनोड बट्स और धात्विकी उद्योग को छोड़कर) |
| | ख 2100 | एल्युमिनियम के अपशिष्ट हाइड्रेट्स और अपशिष्ट अल्युमिना तथा गैस सफाई, |
| | ` | फ्लोक्युलेशन अथवा फिल्टर प्रक्रिया से उत्पन्न एल्युमिना उत्पादन के अवशेष |
| | ख 2110 | बॉक्साइड अवशेष (" लाल मिट्टी') (11.5) से कम तक पीएच हल्का किया गया) |
| | . ख 2120 | 2 से अधिक और 11.5 से कम पीएच के साथ अपशिष्ट एसिड अथवा बेसिक घोल, जो |
| | - | क्षयकारी अथवा अन्यथा परिसंकटमय नहीं है (संबंधित प्रविष्टि सूची क क 4090 पर नोट |
| | 777 0 | करें) मुख्यतया कार्बनिक संघटक वाले अपशिष्ट, जिनमें धातु और अकार्बनिक पदार्थ अंतर्विष्ट |
| • | ख 3 | हो सकते हैं। |
| | ख 3010 | ठोस प्लास्टिक अपशिष्ट* |
| | 9 3010 | ON CHINOS SMICE |
| | | निम्नलिखित प्लास्टिक या मिश्रित प्लास्टिक अपशिष्ट परंतु यदि उनको अन्य अपशिष्टों के |
| | | साथ मिलाया न गया हो और विनिर्देश के अनुसार तैयार किया गया हो : |
| | | |
| | , | - नान -हैलजीनेटिड पॉलीमर और कोपालीमर के स्क्रैप प्लास्टिक, जिसमें निम्नलिखित |
| | * | सम्मिलित हो, किंतु उन पर सीमित न हो : |
| | | |
| | · | |

| | |
|-------------|---|
| | इथाइलीन |
| | स्टायरिन |
| | पॉलीप्रोपीलीन |
| | पॉलीएथिलीन-टेरीफ्थालेट |
| | एक्रीलोनोट्राईल |
| | बुटाडाइन |
| | पॉलीसिटेल्स |
| | पॉलीमाईड्स |
| | पॉलीब्यूटिलीन टैरेफथेलीट |
| | पॉलीकार्बोनेट्स |
| | पॉलीईथस |
| · | पॉलीफिनीलीन सल्फाइड |
| | एक्रिलिक पॉलीमर्स |
| | ऐल्केन सी 10 - सी 13 (प्लास्टिसाइजर्स) |
| | पॉलीयूरिथेन (सी एफ सी के अंश न हो) |
| | पालायूरियन (सा एफ सा क अश न हा) |
| | पॉलीसिलोक्सेन्स |
| | पॉलीमिथाइल मिथक्रालेट |
| | पॉली विनाइल एल्कोहल |
| | पॉली विनाइल बूयूटिरेल |
| | पॉलीविनाइल एसीटेट |
| | - अभिसाधित अपशिष्ट रेसिन या संघनन उत्पाद जिसमें निम्नलिखित सम्मिलित हो : |
| | |
| | यूरिया.फॉर्मेल्डीहाइड रेसिन |
| | फिनोल फार्मेल्डीहाइड रेसिन |
| | मेलामाइन फार्मेल्डीहांइड रेसिन |
| | एपाक्सी रेसिन |
| | एत्कायड रेसिन |
| | पॉलीएमाइडस |
| | - निम्नलिखित फ्लोरीनेटिड पॉलीमर अपशिष्ट (पश्च-उपभोक्ता अपशिष्ट को |
| | छोड़कर) |
| | |
| | परफ्यूरोएथिलीन/प्रोपलीन |
| | परफ्यूरोएत्काक्सी/एत्केन |
| · | मेटाफ्यूरोएल्काक्सी एल्केन |
| | पॉलीविनियल फ्लोराइड |
| | पॉलीविनियलडिन फ्लोराइड |
| ख 3130 | अपशिष्ट पॉलीमर ईथर और अपशिष्ट गैर-परिसंकटमय मोनोमर ईथर पेराक्साइड |
| | फोरमिंग में अक्षम |
| ख 3140 | न्यूमैटिक टायर अपशिष्ट संसाधन पुनःप्राप्ति, पुनःचक्रण, पुनःसुधार अथवा प्रत्यक्ष |

| | पुन:प्रयोग न किए जाने वालों को छोड़कर |
|---------|---|
| ख 4 · | ऐसे अपशिष्ट जिनमें अकार्बनिक और कार्बनिक घटक अंतर्विष्ट हो सकते हैं: |
| ख 4010 | मुख्यतया जल आधारित/लेटैक्स पेंट, स्याही और हाईड वार्निश वाले अपशिष्ट,जिनमें कार्बनिक, साल्वेंट, भारी धातु अथवा बायोसाइट उस सीमा तक नहीं है कि उन्हें परिसंकटमय कहा जा सके (सूची क 4070 में सम्बद्ध सूची देखे) |
| ख़ 4020 | रेसिन, लेटैक्स, प्लास्टिसाइजन ग्लूस/एडहैसिव,के उत्पादन, निर्माण और उपयोग से उत्पन्न अपशिष्ट जो सूची 'क'' में सूचीबद्ध नहीं है, साल्वेंटमुक्त है और उस सीमा तक अन्य संदूषक जो अनुसूची-।।। भाग (ग) की विशेषताओं को नहीं दर्शाते हैं : |
| ख 4030 | बैटरी सहित प्रयुक्त एकल प्रयोग कैमरा जो सूची क में सम्मिलित नहीं है। |

6. उक्त नियमों में, अनुसूची-III में भाग ग के पश्चात्, निम्नलिखित भाग अंत:स्थापित किया जाएगा अर्थात्:-

"भाग घ

् भाग घ : आयात /निर्यात के लिए अनुप्रयोज्य धातु स्क्रैप, कागज अपशिष्ट और अन्य अपशिष्टों की सूची

| बेसल सं0 | अपशिष्टों का वर्णन | |
|----------|---|----|
| ख-1 | धातु और धातुयुक्त अपशिष्ट | |
| ख 1010 | ्- गैर-परिक्षेपण रूप के धातु और धात्विक में धातु - मिश्रातु अपशिष्ट | |
| | - बहुमूल्य धातु (सोना,चांदी, प्लेटिनम)** | |
| • | - लोहा और स्टील स्क्रैप ** | |
| • | निकिल स्क्रैप ** | |
| | - एल्यूमिनियम रक्रैप ** | • |
| | - जिंक रक्र ेप** | |
| | - टिन र क्रैप** | |
| | - टंगस्टन स्क्रैप** | |
| | - मॉलिबडेनम स्क्रैप** | |
| | - टैटालम स्क्रैप** | • |
| • | - कोबाल्ट् स्क्रैप** | |
| • | - बिस्मथ स्क्रैप** | |
| | - टाईटैनियम स्क्रैप** | |
| | - जरक्रोनियम स्क्रैप** | |
| | - मैगनीज स्क्रैप** | |
| | - जरमेनियम स्क्रैप** | |
| | - वेनेडियम स्क्रैप** | • |
| | - हाफनियम स्क्रैप** | |
| | | ٠. |

| | - इन्डीयम स्क्रैप** |
|---------|---|
| | - नियोबियम स्क्रैप** |
| | - रेनियम स्क्रैप** |
| | - गेलियम स्क्रैप** |
| | - मैग्नीशियम स्क्रैप** |
| | - तांबा रक्रेप ** |
| | - क्रोमियम स्क्रैप** |
| | |
| ख 1040 | विद्युतशक्ति उत्पादन से समंजक स्क्रैप जो स्नेहक तेल,पीसीबी या पीसीटी से उस सीमा |
| | तक संदूषित नहीं है जो उन्हें परिसंकटमय बनाती है। |
| .ख 1050 | मिश्र अलौह धात् भारी फ्रेक्शन स्क्रैप जिसमें ऐसे संघटक अंतर्विष्ट नहीं है, जो अनुसूची 2 |
| | में वर्णित उसमें विनिर्दिष्ट सांद्रण के सीमाओं तक नहीं है । ** |
| ख 1100 | धातुओं को गलाने, प्रगलन और परिष्करण से उत्पंच अपशिष्ट युक्त धातु निम्नलिखित के |
| | सिवाय : |
| | - कठोर जिंक स्पेलटर ** |
| | - ड्रोस युक्त जिंक : ** |
| | - गैल्वेनाइजिंग स्लैब जिंक टोपड्रोस (>90%जेड एन) |
| | - गैल्वेनाइजिंग स्लैब जिंक बोटम ड्रोस(>92%जेड एन) |
| | - जिंक डाई कास्टिंग ड्रोस(>85%जेड एन) |
| | - हॉट डिंप गैल्वेनाइजर्स स्लैब जिंक ड्रोस (बैच) (>92%जेड एन) |
| | - जिंक स्कीमिग्स(>90%जेड एन) |
| | - और परिष्करण के लिए बहुमूल्य धातु प्रसंस्करण से स्तैग ** |
| | - एल्युमिनियम स्कीमिंग (या स्कीम)लवण स्लैंग को छोड़कर **. |
| ख 1230 | आयरन और स्टील के विनिर्माण से उत्पन्न मिल स्केलिंग ** |
| खं 3020 | पेपर,पेपर बोर्ड और पेपर उत्पाद अपशिष्ट ** |
| | निम्निलेखित सामग्री, परंतु यदि उन्हें खतरनाक अपशिष्टों में नहीं मिलाया गया है : |
| | पेपर अपशिष्ट और पेपर या पेपर वोर्ड स्क्रैप |
| | - अविरजित पेपर या पेपर वोर्ड या लहरदार पेपर या पेपर वोर्ड |
| - | - अन्य पेपर या पेपर वोर्ड मुख्यतया रंजित रसायन लुगदी से वने, व्यापक रूप |
| | से रंगा न गया हो |
| • | - मुख्यतया यात्रिक लुगदी (उदाहरणार्थ समाचार पत्र-पत्रिका और वैसी ही |
| | मुद्रित सामग्री) से वना पेपर या पेपर वोर्ड |
| | - अन्य,1) लेमिनेटिड पेपर वोर्ड,2) अवर्गीकृत छीजन सहित किंतु उन तक |
| | सीमित नहीं |

 उक्त नियमों में प्ररूप, 15 के पश्चात् , निम्निलिखित प्ररूप अंतः स्थापित किया जाएगा, अर्थात् प्ररूप 16

अनुसूची ॥ भाग घ के लिए व्यापारियों के रिजरर्ट्, करण के लिए प्ररूप

[व्यापारी द्वारा राज्य प्रदूषण नियंत्रण बोर्डी/प्रदूषण नियंदण समितियों को प्रस्तुत किए जाने के लिए]

| 1 | व्यापारी का नाम व पता, दूरभाष और फैक्स नं० (प्रमाण सहित) |
|----|--|
| 2 | टिन/बैट न./ आयात निर्यात कोड |
| 3. | आयात किए जाने वाले 'अपशिष्ट का विवरण |
| 4 | भंडारण, यदि कोई हो, का ब्यौरा |

प्राधिकृत व्यक्ति के हस्ताक्षर'

स्थान----तारीख-----

> [फा. सं. 23-27/2006-एर्चएसएमडी] राजीव गौबा, संयुक्त सचिव

टिप्पणी: मूल नियम भारत के राजपत्र, असाधारण में अधिसूचना संख्यांक का.आ. 2265 (अ), तारीख 24 सितंबर, 2008 द्वारा प्रकाशित किए गए थे, और अधिसूचना संख्यांक का.आ. 1799(अ), तारीख 21 जुलाई, 2009 और अधिसूचना संख्यांक का.आ.2447 (अ) तारीख 23 सितंबर, 2009 द्वारा उनका पश्चातवर्ती संशोधन किया गया।

MINISTRY OF ENVIRONMENT AND FORESTS NOTIFICATION

New Delhi, the 30th March, 2010

- s.o. 710(E).—In exercise of the powers conferred by sections 6,8, and 25 of the Environment (Protection) Act, 1986 (29 of 1986), the Central Government hereby makes the following rules further to amend the Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008, namely:-
 - 1. (1) These rules may be called the Hazardous Wastes (Management, Handling and Transboundary Movement) Third Amendment Rules, 2010.
- (2) They shall come into force on the date of their publication in the Official Gazette.
 - 2. In the Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 (hereinafter referred to as the said rules), in rule 3, sub-rule (1), after clause (r), the following clause shall be inserted, namely,-
- "(ra) other wastes:- wastes specified in Part D of Schedule III shall not be Hazardous waste unless they posses any of the Hazardous characteristics specified in Part C of the Schedule in respect of import or export of such wastes in accordance with rules 12.13 and 14"
 - 3. In the said rules, in Chapter III, in rule 8, after sub-rule (7), the following sub-rules shall be inserted, namely.
- "(8) Every trader desirous of import of Metal scrap, paper waste and other wastes as listed in Schedule III (Part D) may make an application in Form 16 to any of the State Pollution Control Boards or Pollution Control Committees.
- (9) The State Pollution Control Boards or Pollution Control Committees will register the trader on a one time basis and registration would be considered as deemed if not objected to within a period of 30 days.

(10) The registered trader shall be required to submit details of such import and particulars of the actual users along with quantities to the concerned State Pollution Control Board or Pollution Control Committees on a quarterly basis and registration would be liable for cancellation on failure to furnish these details to the State Pollution Control Boards or Pollution Control Committees:

Provided that the registration granted to the trader shall not be cancelled unless he has been given a reasonable opportunity of hearing.

- (11) An appeal shall lie against any order of suspension or cancellation or refusal of registration passed by the Member-Secretary of the State Pollution Control Board or Pollution Control Committees or any other officer designated by the State Pollution Control Boards or Pollution Control Committees as laid down in rule 26 of the said rules.
- (12) The appeal shall be in writing and shall be accompanied with a copy of the order appealed against and shall be made within period of thirty days from the date of passing of the order".
- 4. In the said rules, in rule 16,-
 - (a) in the proviso to sub-rule (5),
 - (i) for the words "hazardous waste", the words "Metal scrap, paper waste and other wastes";
 - (ii) for the word and letter "Part B", the word and letter "Part D" shall be substituted;
 - (b) in sub-rule (6A),
 - (i) for the words "hazardous waste", the words "Metal scrap, paper waste and other waste";
 - (ii) for the word and letter "Part B", the word and letter "Part D" shall be substituted.
- 5. In the said rules, in schedule III, for the existing table under Part 'B', the following table shall be substituted, namely;-

"PART B

List of Hazardous Wastes applicable for Import and Export not requiring Prior
Informed Consent

[Annex IX of the Basel Convention]

| Basel No. | Description of Wastes |
|-----------|---|
| Bl | Metal and metal-bearing wastes |
| B1010 | Metal and metal-alloy wastes in metallic, non-dispersible form: |

| | | - Thorium scrap |
|----------|-------|--|
| | | - Rare earths scrap |
| В | | Clean, uncontaminated metal scrap, including alloys, in bulk finished form (sheet, plates, beams, rods, etc.), of: |
| \vdash | | - Antimony scrap**** |
| - | | - Cadmium scrap |
| \vdash | | - Lead scrap (excluding lead acid batteries) |
| \vdash | | - Tellurium scrap**** |
| B | 1030 | Refractory metals containing residues**** |
| В | 1031 | Molybdenum, tungsten, titanium, tantalum, niobium and rhenium metal and metal alloy wastes in metallic dispersible form (metal powder), excluding such wastes as specified in list A under entry A1050, Galvanic sludges**** |
| В | 1060 | Waste selenium and tellurium in metallic elemental form including powder**** |
| В | 1070 | Waste of copper and copper alloys in dispersible form, unless they contain any of the constituents mentioned in Schedule 2 to the extent of concentration limits specified therein*** |
| В | 1080 | Zinc ash and residues including zinc alloys residues in dispersible form unless they contain any of the constituents mentioned in Schedule 2 to the extent of concentration limits specified therein*** |
| Ē | 31090 | Waste batteries conforming to a standard battery specification, excluding those made with lead, cadmium or mercury.**** |
| · E | 31100 | Metal bearing wastes arising from melting, smelting and refining of metals: |
| | , | Slags from copper processing for further processing or refining containing arsenic, lead or cadmium*** |
| | | - Wastes of refractory linings, including crucibles, originating from copper smelting |
| | • | Tantalum-bearing tin slags with less than 0.5% tin**** |
| I | 31110 | Electrical and electronic assemblies |
| | | - Electronic assemblies consisting only of metals or alloys**** - Waste electrical and electronic assemblies scrap (including printed circuit boards) not containing components such as accumulators and other batteries included on list A, mercury-switches, glass from cathode-ray tubes and other activated glass and PCB-capacitors, or not contaminated with constituents such as cadmium, mercury, lead, polychlorinated biphenyl) or from which these have been removed, to an extent that they do not possess any of the constituents mentioned in Schedule 2 to the extent of concentration limits specified therein **** |
| | • | - Electrical and electronic assemblies (including printed circuit boards, electronic components and wires) destined for direct reuse and not for recycling or final disposal. |

| B1120 | Spent catalysts excluding liquids used as catalysts, containing any of: |
|-------|---|
| | Transition metals, excluding waste catalysts (spent catalysts, liquid used catalysts or other catalysts) on list A: |
| | Scandium Titanium |
| | Vanadium Chromium |
| | Manganese Iron |
| | Cobalt Nickel |
| | Copper Zinc |
| • | Yttrium Zirconium |
| | Niobium Molybdenum |
| | Hafnium Tantalum |
| | Tungsten Rhenium |
| | |
| | Lanthanaides (rare earth metals): |
| | |
| | Lanthanum Cerium |
| | Praseodymium Neody |
| | Samarium Europium |
| | Gadolinium Terbium |
| | Dysprosium Holmium |
| | Erbium Thulium |
| · | Ytterbium Lutetium |
| B1130 | Cleaned spent precious metal bearing catalysts |
| B1140 | Precious metal bearing residues in solid form which contain traces of . |
| | inorganic cyanides |
| B1150 | Precious metals and alloy wastes (gold, silver, the platinum group) in a |
| | dispersible form |
| B1160 | Precious-metal ash from the incineration of printed circuit boards (note the |
| | related entry on list A A1150) |
| B1170 | Precious metal ash from the incineration of photographic film |
| B1180 | Waste photographic film containing silver halides and metallic silver |
| B1190 | Waste photographic paper containing silver halides and metallic silver |
| B1200 | Granulated slag arising from the manufacture of iron and steel |
| B1210 | Slag arising from the manufacture of iron and steel including slag as a source |
| 1 | of Titanium dioxide and Vanadium |
| B1220 | Slag from zinc production, chemically stabilized, having a high iron content |
| | (above 20%) and processed according to industrial specifications mainly for |
| D1640 | construction |
| B1240 | Copper Oxide mill-scale*** |
| B2 | Wastes containing principally inorganic constituents, which may contain metals and organic materials |
| | |
| | A |

| ł | Wastes from mining operations in non-dispersible form: |
|--------|---|
| | - Natural graphite waste |
| | - Slate wastes |
| | - Mica wastes |
| | - Leucite, nepheline and nepheline syenite waste |
| | - Feldspar waste |
| | - Fluorspar waste |
| | |
| | - Silica wastes in solid from excluding those used in foundry operations |
| B2020 | Glass wastes in non-dispersible from: |
| , | - Glass Cullets and other wastes and scrap of glass except activated glass cullets from cathode ray tubes and other activated glasses |
| B2030 | Ceramic wastes in non-dispersible form: |
| | Cermet wastes and scrap (metal ceramic composites) |
| | - Ceramic based fibres |
| B2040 | Other wastes containing principally inorganic constituents: |
| | Partially refined calcium sulphate produced from flue gas desulphurisation (FGD) Waste gypsum wallboard or plasterboard arising from the demolition of buildings |
| | - Sulphur in solid form |
| | - Limestone from production of calcium cyanamide (pH<9) |
| | - Sodium, potassium, calcium chlorides |
| İ | - Carborundum (silicon carbide) |
| ĺ | - Broken concrete |
| | - Lithium tantalum & Lillium-niobium containing glass scraps |
| ·B2060 | Spent activated carbon resulting from the treatment of potable water and processes of the food industry and vitamin production (note the related entry on list A A4160) |
| B2070 | Calcium fluoride sludge |
| B2080 | Waste gypsum arising from chemical industry processes unless it contains any of the constituents mentioned in Schedule 2 to the extent of concentration limits specified therein |
| B2090 | Waste anode butts from steel or aluminium production made of petroleum coke or bitumen and cleaned to normal industry specifications (excluding anode butts from chlor alkali electrolyses and from other metallurgical industry) |
| B2100 | Waste hydrates of aluminum and waste alumina and residues from alumina production, arising from gas cleaning, flocculation or filtration process |
| ! | Bauxite residue ("red mud") (pH moderated to less than 11.5) |

| 16 | THE GAZETTE OF INDIA: EXTRAORDINART [FARTH—Sec. |
|-------|--|
| B2120 | Waste acidic or basic solutions with a pH greater than 2 and less than 11.5, which are not corrosive or otherwise hazardous (note the related entry on list A A4090) |
| B3 | Wastes containing principally organic constituents, which may contain metals and inorganic materials |
| B3010 | Solid plastic waste The following plastic or mixed plastic waste, provided they are not mixed with other wastes and are prepared to a specification: |
| * | - Scrap plastic of non-halogenated polymers and copolymers, including but not limited to the following: |
| | Ethylene |
| • | Styrene |
| | Polypropylene |
| | polyethylene terephthalate |
| | Acrylonitrile |
| , , | Butadiene |
| | Polyacetals |
| | Polyamides |
| , | polybutylene tere-phthalate |
| | Polycarbonates |
| | Polyethers |
| | polyphenylene sulphides |
| | acrylic polymers |
| | alkanes C10-C13 (plasticiser) |
| | polyurethane (not containing CFC's) |
| - | Polysiloxanes |
| - | polymethyl methacrylate |
| | polyvinyl alcohol |
| | polyvinyl butyra! |
| | Polyvinyl acetate |
| | - Cured waste resins or condensation products including the following: |
| , | urea formaldehyde resins |
| • | phenol formaldehyde resins |
| | melamine formaldehyde resins |
| | epoxy resins |
| | alkyd resins |
| | polyamides |
| | - The following fluorinated polymer wastes (excluding post-consumer |
| | wastes): |
| | Perfluoroethylene/ propylene |
| | Perfluoroalkoxy alkane |
| | Metafluoroalkoxy alkane |
| L | |

| | polyvinylfluoride |
|-------|---|
| | polyvinylidenefluoride |
| B3130 | Waste polymer ethers and waste non-hazardous monomer ethers incapable of forming peroxides |
| B3140 | Waste pneumatic tyres, excluding those which do not lead to resource recovery, recycling, reclamation or direct reuse |
| B4 | Wastes which may contain either inorganic or organic constituents |
| B4010 | Wastes consisting mainly of water-based/latex paints, inks and hardened varnishes not containing organic solvents, heavy metals or biocides to an extent to render them hazardous (note the related entry on list A A4070) |
| B4020 | Wastes from production, formulation and use of resins, latex, plasticizers, glues/adhesives, not listed on list A, free of solvents and other contaminants to an extent that they do not exhibit Part C of Schedule 3 characteristics |
| B4030 | Used single-use cameras, with batteries not included on list A."; |

6. In the said rules, in Schedule III, after Part C, the following Part shall be inserted, namely.-

"PART D

Part D: list of Metal scrap, paper waste and other wastes applicable for import/export.

| Basel No. | Description of wastes | | | | | |
|-------------|---|--|--|--|--|--|
| B1 . | Metal and metal- bearing wastes | | | | | |
| B1010 | Metal and metal-alloy wastes in metallic, non dispersible form: | | | | | |
| | - Precious metals (gold, silver, platinum) ** | | | | | |
| | -Iron and steel scrap ** | | | | | |
| | -Nickel scrap ** | | | | | |
| | -Aluminium scrap ** | | | | | |
| | - Zinc scrap** | | | | | |
| | -Tin scrap** | | | | | |
| - | -Tungsten scrap ** | | | | | |
| | -Molybdenum scrap ** | | | | | |
| | - Tantalum scrap ** | | | | | |
| | - Cobalt scrap ** | | | | | |
| | - Bismuth scrap ** | | | | | |
| | - Titanium scrap ** | | | | | |
| | - Zirconium scrap ** | | | | | |
| | - Manganese scrap ** | | | | | |
| | - Germanium scrap ** | | | | | |
| | - Vanadium scrap ** | | | | | |

| | - Hafnium scrap ** | | | | | | |
|-------|---|--|--|--|--|--|--|
| | - Indium scrap ** | | | | | | |
| | - Niobium scrap ** | | | | | | |
| | - Rhenium scrap ** | | | | | | |
| | - Gallium scrap ** | | | | | | |
| | - Magnesium scrap ** | | | | | | |
| | - Copper scrap ** | | | | | | |
| | - Chromium scrap ** | | | | | | |
| B1040 | Scrap assemblies from electrical power generation not | | | | | | |
| | contaminated with lubricating oil, PCB or PCT to an extent to | | | | | | |
| | render them hazardous** | | | | | | |
| B1050 | Mixed non-ferrous metal, heavy fraction scrap, not containing | | | | | | |
| | any of the constituents mentioned in Schedule II to the extent of | | | | | | |
| | concentration limits specified therein** | | | | | | |
| B1100 | Metal bearing wastes arising from melting, smelting and refining | | | | | | |
| | of metals except: | | | | | | |
| | - Hard Zinc Spelter ** | | | | | | |
| | - Zinc containing drosses ** | | | | | | |
| | - Galvanizing slab zinc top dross (>90% Zn) | | | | | | |
| | - Galvanzing slab zinc bottom dross (>92% Zn) | | | | | | |
| , | - Zinc die casting dross (>85% Zn) | | | | | | |
| | - Hot dip galvanizers slab zinc dross (batch) (>92% Zn) | | | | | | |
| | - Zinc skimmings (>90%Zn) | | | | | | |
| | - Slags from precious metals processing for further refining | | | | | | |
| | ** | | | | | | |
| | - Aluminium skimming's (or skims) excluding salt slag ** | | | | | | |
| B1230 | Mill scaling arising from manufacture of iron and steel** | | | | | | |
| B3020 | Paper, paperboard and paper product wastes** | | | | | | |
| | The following materials, provided they are not mixed with | | | | | | |
| | hazardous wastes: | | | | | | |
| | Waste and scrap of paper or paperboard of: | | | | | | |
| | Unbleached paper or paperboard or of corrugated paper or | | | | | | |
| , | paperboard | | | | | | |
| | Other paper or paperboard, made mainly of bleached | | | | | | |
| , | chemical pulp, not coloured in the mass | | | | | | |
| | Paper or paperboard made mainly of mechanical pulp (for | | | | | | |
| | example, newspapers, journals and similar printed matter) | | | | | | |
| | Other, including but not limited to 1) laminated | | | | | | |
| | paperboard 2) unsorted scrap | | | | | | |
| | | | | | | | |

This list is based on Annex. IX of the Basel Convention on Transboundary Movement of Hazardous Wastes and comprises of wastes not characterized as hazardous under Article –I of the Basel Convention.;

7. In the said rules, after Form 15, the following Form shall be inserted, namely.-

"Form 16

FORM FOR REGISTRATION OF TRADERS FOR SCHEDULE III, PART (D).

[To be submitted by trader to the State Pollution Control Boards/Pollution Control Committees]

1 Name and Address of the Trader with Telephone and Fax Numbers (With proof).
2 TIN/VAT Number/Import Export Code
3 Description of the waste to be imported
4 Details of storage ,if any

Signature of the authorized person.".

| Place | ÷ | | | |
|-------|---|------|---------|------|
| | | | , | |
| Date. | | | · · · · | |

[F. No. 23-27/2006-HSMD] RAJIV GAUBA, Jt. Secy.

Note.— The principal rules were published in the Gazette of India, Extraordinary vide notification number S.O. 2265 (E), dated the 24th September, 2008, subsequently amended vide number S.O. 1799 (E), dated the 21st July, 2009 and S.O.2447 (E), dated the 23rd September, 2009.